

HPD UNIQUE IDENTIFIER: 20792

CLASSIFICATION: 09 60 00

PRODUCT DESCRIPTION: Forest Rx/Strait Rx/Cosmos Rx/Infinity Rx/Crossings Rx is made by fusing Ecore's 5mm vulcanized composition rubber backing to a vinyl wear layer. These products are revolutionizing the flooring industry, providing sound control, improved ergonomics, and helping to prevent the severity of injury associated with falls. Bounce 2 features a synthetic wood-grain surface that is fusion bonded to a 5mm vulcanized composition rubber backing. The result is beautiful flooring that looks like real wood designed for fitness facilities.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Other

Residuals/Impurities

Residuals/Impurities
Considered in 1 of 3 Materials

Explanation(s) provided
for Residuals/Impurities?
 Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No
% weight and role provided for all substances.

Screened Yes Ex/SC Yes No
All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No
All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

[MATERIAL](#) | [SUBSTANCE](#) | [RESIDUAL OR IMPURITY](#)
[GREENSCREEN SCORE](#) | [HAZARD TYPE](#)

VINYL WEAR LAYER [POLYVINYL CHLORIDE (PVC) LT-P1 | RES DIOCTYL TEREPHTHALATE (DOTP) NoGS LIMESTONE; CALCIUM CARBONATE LT-UNK (C4-C13) BRANCHED ALKYL ALCOHOLS, PHTHALIC ANHYDRIDE ESTER NoGS GLASS / MINERAL FIBER LT-UNK | CAN PHOSPHATE NoGS TITANIUM DIOXIDE LT-1 | CAN | END POLYURETHANE LT-UNK ZINC STEARATE LT-UNK EPOXIDIZED SOYBEAN OIL LT-UNK CALCIUM SOAPS OF FATTY ACIDS MADE FROM OXIDIZED PETROLATUM NoGS ZINC OXIDE BM-1 | RES | AQU | MUL OCTHILINONE LT-P1 | AQU | MAM | SKI | MUL] RUBBER BACKING [STYRENE BUTADIENE RUBBER (POST-CONSUMER) LT-UNK POLYURETHANE LT-UNK ETHYLENE/PROPYLENE/DIENE TERPOLYMER (EPDM) LT-UNK WATER BM-4] ADHESIVE [ETHYLENE VINYL ACETATE POLYMER (EVA) LT-UNK VINYL ACETATE LT-P1 | CAN | END | MUL | MAM | GEN | PHY]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

See content inventory for notes per material.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: FloorScore®
Recycled content: Recycled Content
LCA: Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2018-06-20

PUBLISHED DATE: 2020-06-24

EXPIRY DATE: 2021-06-20

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

VINYL WEAR LAYER

#: 71.0000 - 71.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Ecore does not manufacture the wear layer and cannot comment on residuals/impurities in this material.

OTHER MATERIAL NOTES: Manufacturer of the vinyl wear layer did not disclose specifics on the Inks and Pastes in their product. Due to this lack of information, we could not add a CAS Registry Number to be screened.

POLYVINYL CHLORIDE (PVC)

ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2018-06-20

#: 55.0000 - 60.0000

GS: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: SPVC

DIOCTYL TEREPHTHALATE (DOTP)

ID: 4654-26-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2018-06-20

#: 15.0000 - 24.0000

GS: NoGS

RC: None

NANO: No

SUBSTANCE ROLE: Plasticizer

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: DINP

LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2018-06-20

#: 15.0000 - 20.0000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Brightener

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

(C4-C13) BRANCHED ALKYL ALCOHOLS, PHTHALIC ANHYDRIDE ESTER

ID: 68951-39-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2018-06-20

#: 4.0000 - 5.0000

GS: NoGS

RC: None

NANO: No

SUBSTANCE ROLE: Coalescent

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

GLASS / MINERAL FIBER

ID: 65997-17-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2018-06-20**

%: **2.5000 - 3.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER EU - GHS (H-Statements) H351 - Suspected of causing cancer

SUBSTANCE NOTES:

PHOSPHATE

ID: 14265-44-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2018-06-20**

%: **2.5000 - 3.0000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Flame retardant**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2018-06-20**

%: **1.9000 - 2.6000** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER US CDC - Occupational Carcinogens Occupational Carcinogen

CANCER MAK Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

CANCER CA EPA - Prop 65 Carcinogen - specific to chemical form or exposure route

CANCER IARC Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

ENDOCRINE TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor

SUBSTANCE NOTES:

POLYURETHANE

ID: 64440-88-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2018-06-20**

%: **0.9000 - 1.5000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coating**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: PUR Acrylic

ZINC STEARATE

ID: 557-05-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2018-06-20**

%: **0.6000 - 1.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ca Zn Soap

EPOXIDIZED SOYBEAN OIL

ID: 8013-07-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-06-20**

%: **0.2000 - 0.5000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: ESBO

CALCIUM SOAPS OF FATTY ACIDS MADE FROM OXIDIZED PETROLATUM

ID: 68425-34-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-06-20**

%: **0.2000 - 0.5000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

ZINC OXIDE

ID: 1314-13-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-06-20**

%: **0.2000 - 0.5000** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Biocide**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (ARs) - sensitizer-induced - inhalable forms only
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES:

OCTHILINONE

ID: 26530-20-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-06-20**

%: **0.2000 - 0.5000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Biocide**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
MAMMALIAN	EU - GHS (H-Statements)	H311 - Toxic in contact with skin
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction

SUBSTANCE NOTES:

RUBBER BACKING

%: 27.9000 - 27.9000

PRODUCT THRESHOLD: **1000 ppm**

RESIDUALS AND IMPURITIES CONSIDERED: **Yes**

MATERIAL TYPE: **Other, Rubber**

RESIDUALS AND IMPURITIES NOTES: **Residuals/impurities in raw materials are measured, and are displayed in the HPD when greater than 1000ppm.**

OTHER MATERIAL NOTES: **Product backing**

STYRENE BUTADIENE RUBBER (POST-CONSUMER)

ID: 9003-55-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2018-06-20**%: **78.7100 - 78.7100**GS: **LT-UNK**RC: **PostC**NANO: **No**SUBSTANCE ROLE: **Structure component**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

POLYURETHANE

ID: 64440-88-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2018-06-20**%: **10.4000 - 10.4000**GS: **LT-UNK**RC: **None**NANO: **No**SUBSTANCE ROLE: **Binder**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

ETHYLENE/PROPYLENE/DIENE TERPOLYMER (EPDM)

ID: 25038-36-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2018-06-20**%: **9.9000 - 9.9000**GS: **LT-UNK**RC: **PreC**NANO: **No**SUBSTANCE ROLE: **Structure component**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

WATER

ID: 7732-18-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2018-06-20**%: **0.9900 - 0.9900**GS: **BM-4**RC: **None**NANO: **No**SUBSTANCE ROLE: **Catalyst**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

ADHESIVE%: **1.4000 - 1.4000**PRODUCT THRESHOLD: **1000 ppm**RESIDUALS AND IMPURITIES CONSIDERED: **No**MATERIAL TYPE: **Polymeric Material**RESIDUALS AND IMPURITIES NOTES: **Ecore does not manufacture the adhesive layer and cannot comment on residuals/impurities in this material.**OTHER MATERIAL NOTES: **Adhesive to fusion bond the vinyl wear layer to the product backing.**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2018-06-20**%: **99.7000 - 100.0000**GS: **LT-UNK**RC: **None**NANO: **No**SUBSTANCE ROLE: **Adhesive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **Primary ingredient in copolymerization of ethylene and vinyl acetate to create Ethylene-vinyl acetate (EVA) adhesive.****VINYL ACETATE**

ID: 108-05-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2018-06-20**%: **0.0000 - 0.3000**GS: **LT-P1**RC: **None**NANO: **No**SUBSTANCE ROLE: **Adhesive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
GENE MUTATION	New Zealand - GHS	6.6A - Known or presumed human mutagens
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour

SUBSTANCE NOTES: **Ingredient in copolymerization of ethylene and vinyl acetate to create Ethylene-vinyl acetate (EVA) adhesive.**

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

FloorScore®

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2019-10-01**

EXPIRY DATE:

CERTIFIER OR LAB: **SCS Global Services**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **Conforms to the CDPH/EHLB Standard Method v1.1-2010 (effective January 1, 2012) for the school classroom and private office parameters when modeled as Flooring.**

RECYCLED CONTENT

Recycled Content

CERTIFYING PARTY: **Self-declared**

ISSUE DATE:

APPLICABLE FACILITIES: **All**

EXPIRY DATE:

CERTIFICATE URL:

CERTIFIER OR LAB: **Ecore**

http://maxcdn.ecoreintl.com/marketing/ecore/files/LEEDv4_Forest%20rx,%20Strait%20rx,%20Cosmos%20rx,%20Infinity%20rx.pdf

2015-12-19

CERTIFICATION AND COMPLIANCE NOTES: **Forest Rx/Strait Rx/Cosmos Rx/Infinity Rx/Crossings Rx/Bounce 2 is comprised of 65% postconsumer recycled content**

LCA

Environmental Product Declaration

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2020-05-**

EXPIRY DATE: **2025-05-**

CERTIFIER OR LAB: **SCS Global**

APPLICABLE FACILITIES: **All**

20

19

Services

CERTIFICATE URL:

https://www.ecorecommercial.com/document/33tkgevg053dv46ncd9v11504f?filename=SCSEPD06147_Ecore_EcoreRx_052020.pdf

CERTIFICATION AND COMPLIANCE NOTES: **PCR Guidance for Building-Related Products and Services Part A: Life Cycle Assessment Calculation Rules and Report Requirements. Version 3.2. UL Environment. Sept. 2018 PCR Guidance for Building-Related Products and Services Part B: Flooring EPD Requirements. Version 2. UL Environment. May 2018.**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

E GRIP III

HPD URL: **No HPD Available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

E-Grip III is a revolutionary zero-VOC adhesive that is used during flooring installation.

E-CLEANER

HPD URL: **No HPD Available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

This cleaner meets Green Seal™ GS-37 standard. This cleaner can be used for initial, daily, and restorative cleaning.

WELD ROD

HPD URL: **No HPD Available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Weld Rod is used to during installation to seal the seams between rolls.

Section 5: General Notes

Not all substances are screened using the Priority Hazard Lists (see Section 1) because the manufacturer of the vinyl wear layer did not disclose specifics on the Inks and Pastes in their product. Due to this lack of information, we could not add a CAS Registry Number to be screened.

MANUFACTURER INFORMATION

MANUFACTURER: **Ecore International**
 ADDRESS: **715 Fountain Ave**
Lancaster Pennsylvania 17601, United States
 WEBSITE: **http://ecoreintl.com/**

CONTACT NAME: **Dana Davis**
 TITLE: **Marketing Analyst**
 PHONE: **7178248210**
 EMAIL: **dana.davis@ecoreintl.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	NoGS No GreenScreen.
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.